

Form - IV
(See rule 13)
ANNUAL REPORT

11/01/17
INQUIRY COUNTER
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	NOVA PULSE IVF CLINIC Pvt. Ltd.
	(ii) Name of HCF or CBMWTF	:	NOVA PULSE IVF CLINIC Pvt. Ltd.
	(iii) Address for Correspondence	:	G/N-14, SHIVAJI ENCLAVE, RAJOURI GARDEN DELHI-110027
	(iv) Address of Facility	:	G/N-14, SHIVAJI ENCLAVE, RAJOURI GARDEN DELHI-110027
	(v) Tel. No, Fax. No	:	011-48650000
	(vi) E-mail ID	:	statutory@novafertility.com
	(vii) URL of Website	:	WWW.NOVAFERTILITY.COM
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or <u>Private</u> or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: DPCCL/BMC/AUTH/NEW/NO/2016/ 018181.33M..valid up to 27.10.2018
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: NA
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 6.
	(ii) Non-bedded hospital	:	NA
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	1376 31 st March 2018
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	-
	(ii) No of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	_____ Kg/day																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	<table border="1"> <tr> <td>Yellow Category :</td><td>83 kg</td></tr> <tr> <td>Red Category :</td><td>88 kg</td></tr> <tr> <td>White:</td><td>15 kg</td></tr> <tr> <td>Blue Category :</td><td>38 kg</td></tr> <tr> <td>General Solid waste:</td><td>1,064 kg</td></tr> </table>	Yellow Category :	83 kg	Red Category :	88 kg	White:	15 kg	Blue Category :	38 kg	General Solid waste:	1,064 kg																																						
Yellow Category :	83 kg																																																	
Red Category :	88 kg																																																	
White:	15 kg																																																	
Blue Category :	38 kg																																																	
General Solid waste:	1,064 kg																																																	
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																	
	(i) Details of the on-site storage facility :	<table border="1"> <tr> <td>Size :</td><td>40 Ltrs & 6 containers</td></tr> <tr> <td>Capacity :</td><td>40 kg</td></tr> <tr> <td>Provision of on-site storage :</td><td>(cold storage or any other provision)</td></tr> </table>	Size :	40 Ltrs & 6 containers	Capacity :	40 kg	Provision of on-site storage :	(cold storage or any other provision)																																										
Size :	40 Ltrs & 6 containers																																																	
Capacity :	40 kg																																																	
Provision of on-site storage :	(cold storage or any other provision)																																																	
	(ii) Details of the treatment or disposal facilities :	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th><th>No of units</th><th>Capacity Kg/day</th><th>Quantity treated or disposed in kg per annum</th></tr> </thead> <tbody> <tr> <td>Incinerators</td><td></td><td></td><td></td></tr> <tr> <td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr> <td>Autoclaves</td><td></td><td></td><td></td></tr> <tr> <td>Microwave</td><td></td><td></td><td></td></tr> <tr> <td>Hydroclave</td><td></td><td></td><td></td></tr> <tr> <td>Shredder</td><td></td><td></td><td></td></tr> <tr> <td>Needle tip cutter or destroyer</td><td></td><td></td><td>NA</td></tr> <tr> <td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr> <td>Deep burial pits:</td><td></td><td></td><td></td></tr> <tr> <td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr> <td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			NA	Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																															
Incinerators																																																		
Plasma Pyrolysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer			NA																																															
Sharps encapsulation or concrete pit																																																		
Deep burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	<table border="1"> <tr> <td>Red Category (like plastic, glass etc.)</td><td>NA</td></tr> </table>	Red Category (like plastic, glass etc.)	NA																																														
Red Category (like plastic, glass etc.)	NA																																																	
	(iv) No of vehicles used for collection and transportation of biomedical waste :	NA																																																
	(v) Details of incineration ash and ETP sludge generated and disposed :	<table border="1"> <thead> <tr> <th>Quantity generated</th><th>Where disposed</th></tr> </thead> <tbody> <tr> <td></td><td></td></tr> </tbody> </table>	Quantity generated	Where disposed																																														
Quantity generated	Where disposed																																																	

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	NA
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	WATER GRACE BMW PVT. LTD.
	(vii) List of member HCF not handed over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		NA -
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		6
	(ii) number of personnel trained		22
	(iii) number of personnel trained at the time of induction		7
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		YES
	(vi) any other information)		
8	Details of the accident occurred during the year		NA
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4		-

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)


Certified that the above report is for the period from

.....
.....
.....

Date:

Place

Name and Signature of the Head of the Institution



Sl no	Month	Bmw waste category				Total IN KGS
		YELLOW IN KGS	RED IN KGS	WHITE IN KGS	BLUE IN KGS	
1	JANUARY	NIL	NIL	NIL	NIL	NIL
2	FEBRUARY	NIL	NIL	NIL	NIL	NIL
3	MARCH	NIL	NIL	NIL	NIL	NIL
4	APRIL	NIL	NIL	NIL	NIL	NIL
5	MAY	NIL	NIL	NIL	NIL	NIL
6	JUNE	NIL	NIL	NIL	NIL	NIL
7	JULY	7kg	7kg	NIL	6kg	20kg
8	AUGUST	13kg	13kg	NIL	8kg	34kg
9	SEPTEMBER	12kg	12kg	5kg	5kg	34kg
10	OCTOBER	19kg	22kg	5kg	8kg	54kg
11	NOVEMBER	18kg	20kg	NIL	7kg	45kg
12	DECEMBER	14kg	14kg	5kg	4kg	37kg
	TOTAL	83kg	88kg	15kg	38kg	224kg
	AVERAGE TOTAL PER MONTH	13.8 kg	14.6 kg	2.5 kg	6.3 kg	37.3 kg.

