

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	NOVA PULSE IVF CLINIC AHMEDABAD PVT. LTD.
	(ii) Name of HCF or CBMWTF	:	NOVA PULSE IVF CLINIC AHMEDABAD PVT LTD.
	(iii) Address for Correspondence	:	185, GROUND FLOOR, HARI PALACE BUILDING,
	(iv) Address of Facility	:	ITI CHOWK, DABRA ROAD, HISAR - 125005 SAME AS ABOVE
	(v) Tel. No, Fax. No	:	01662 - 281900
	(vi) E-mail ID	:	PRVINDER.SINGH@NOVAIVFERTILITY.NET
	(vii) URL of Website	:	WWW.NOVAIVFERTILITY.COM
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No. HSPCB/HB/2015/3830...valid up to 31-03-2015
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: NA
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 07
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	NA
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of	:	Kg per day



	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 32.8 Kg
		Red Category : 22.8 Kg
		White: -
		Blue Category: 5 Kg
		General Solid waste: 187 Kg
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility	
(i) Details of the on-site storage facility :	Size :	(2 FEET HEIGHT CYLINDRICAL CONTAINERS) X 4
	Capacity :	10 Kg X 4
	Provision of on-site storage : (cold storage or any other provision)	
(ii) Details of the treatment or disposal facilities :	Type of treatment equipment	No of units
		Capacities
		Quantity treated or disposed in kg per annum
	Incinerators	
	Plasma Pyrolysis	
	Autoclaves	
	Microwave	NA
	Hydroclave	
	Shredder	
	Needle tip cutter or destroyer	
	Sharps encapsulation or concrete pit	
	Deep burial pits:	
	Chemical disinfection:	
	Any other treatment equipment:	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)	NA
(iv) No of vehicles used for collection and transportation of biomedical waste		NA
(v) Details of incineration ash and ETP sludge generated and disposed	Quantity generated	Where disposed


	during the treatment of wastes in Kg per annum	Incineration Ash NA ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/S SYNERGY WASTE MANAGEMENT PVT. LTD. HISAR
	(vii) List of member HCF not handed over bio-medical waste.	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NA
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	05
	(ii) number of personnel trained	8
	(iii) number of personnel trained at the time of induction	8
	(iv) number of personnel not undergone any training so far	NIL
	(v) whether standard manual for training is available?	YES
	(vi) any other information)	
8	Details of the accident occurred during the year	NA
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?	
12	Any other relevant information	:(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from AUGUST 2016 - DECEMBER 2016

Date: 02-1-2017
Place: HISAR

Name and Signature of the Head of the Institution


PARVINDER SINGH

SR.NO	MONTH	BMW WASTE CATEGORY				TOTAL
		YELLOW (IN KGS)	RED (IN KGS)	BLACK (IN KGS)	BLUE (IN KGS)	
1	JANUARY	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
2	FEBRUARY	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
3	MARCH	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
4	APRIL	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
5	MAY	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
6	JUNE	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	WASTE NOT GENERATED	
7	JULY	WASTE NOT GENERATED	WASTE NOT GENERATED	25	WASTE NOT GENERATED	25
8	AUGUST	0.6	0.8	32	0.3	33.7
9	SEPTEMBER	6.8	6.6	34	1.6	49
10	OCTOBER	8.9	5.0	30	0.9	44.8
11	NOVEMBER	8.3	5.7	30	0.5	44.5
12	DECEMBER	8.2	4.7	36	1.7	50.6
TOTAL		32.8	22.8	187	5	247.6
AVERAGE TOTAL PER MONTH		6.56	4.56	31.16	1	41.26

Sumit
2/1/17